



SimponiOneSM

Cost Support

Instant savings on
your medication costs
for SIMPONI[®]

Instant savings on your private insurance co-pay, deductible, and co-insurance medication costs for SIMPONI[®].



SimponiOneSM Cost Support A Full-Year Program

MONTHS 1–6*

NO COST TO YOU

MONTHS 7–12*

YOU PAY \$5 A MONTH**

Before the program ends, a SimponiOneSM Care Coordinator will contact you with information and eligibility requirements for the SimponiOneSM Extended Cost Support.

* Subject to a \$6,000 annual program benefit, 12 months after activation, or 12 injections, whichever comes first.

** For every \$1,005 portion of your out-of-pocket drug expense.

SimponiOneSM (877-MY SIMPONI) can also help with:

- Explanation of insurance benefits and potential out-of-pocket expenses
- Identifying other additional assistance programs available through Co-Pay Foundation Support & Johnson and Johnson Patient Assistance Foundation, Inc. (www.JJPAF.org)
- Prompt processing and shipment of your medication

You can also request:

- SimponiOneSM support communications
- Nursing support to answer your questions about the injection process for SIMPONI[®], available 7 days a week, 8:00 AM to 11:00 PM E.T.
- Optional personalized treatment reminders
- Safe ReturnsTM, a monthly service for proper and easy disposal of your used SmartJectTM autoinjectors or used prefilled syringes

Use your SimponiOneSM Cost Support instant savings card when a specialty pharmacy contacts you, or at a retail pharmacy, to receive instant savings on your medication costs for SIMPONI[®].

If using a retail pharmacy, be sure to present your instant savings card each time you fill your prescription for SIMPONI[®].

If your pharmacy is unable to process your instant savings card, or your physician chooses to obtain SIMPONI[®] for you, you can receive a rebate by completing and returning the SimponiOneSM Cost Support rebate form.

To obtain and activate an instant savings card, please contact SimponiOneSM Support at:

877-MY SIMPONI (877-697-4676)

Monday – Friday, 8:00 AM – 8:00 PM E.T.

Single-source support for access to SIMPONI[®]

Please read the enclosed Medication Guide for SIMPONI[®] and discuss any questions you have with your doctor.

See reverse side for SimponiOneSM Cost Support restrictions.



Simponi[®]

golimumab

You may be eligible for SimponiOneSM Cost Support benefits if you:

- Have been prescribed SIMPONI[®]
- Are being treated for an approved indication for SIMPONI[®]
- Currently have commercial insurance that covers medication costs for SIMPONI[®]

Other restrictions

- This offer is not valid for residents of Massachusetts.
- This offer may not be combined with any other coupon, discount, prescription savings card, free trial, or other offer.
- This program is not available to individuals enrolled in federal or state subsidized healthcare programs that cover prescription drugs, including Medicare, such as Medicare Part D prescription drug benefit, Medicaid, TriCare, or any other federal or state healthcare plan, including pharmaceutical assistance programs. Participants certify that they will not seek reimbursement or compensation from any of these programs, to include a flexible spending account, a Health Savings Account (HSA), or a Health Reimbursement Account (HRA).
- The selling, purchasing, trading, or counterfeiting of this card is prohibited.
- Offer good only in the U.S. and Puerto Rico. Centocor Ortho Biotech Inc. reserves the right to rescind, revoke, or amend this offer without notice at any time. Void where prohibited, taxed, or otherwise restricted by law.
- Cost Support Program for new enrollees expires June 30, 2011. Each patient can enroll in this program once. Cost support beyond one year, if eligible, is provided by SimponiOneSM Extended Cost Support.
- Before you activate your card, it is important that you understand that you will be asked to provide personal information that may include your name, address, phone number, email address, and information related to your insurance and treatment. This information is necessary to permit Centocor Ortho Biotech Inc., the manufacturer of SIMPONI[®], and companies that work with Centocor Ortho Biotech, to support the program, including other affiliates and parent companies, to provide benefits to you related to the activation and use of your SimponiOneSM Cost Support instant savings card. The information you provide will be shared with companies supporting the program and as required by law.

SimponiOneSM, the Centocor Ortho Biotech Inc. support system, is in no way an extension of medical treatment provided by healthcare professionals to individual patients. You may discontinue your participation at any time by calling 877-MY SIMPONI (877-697-4676).



Medication Guide

MEDICATION GUIDE

SIMPONI® (SIM-po-nee) (golimumab)

Read the Medication Guide that comes with SIMPONI before you start taking it and each time you get a refill. There may be new information. This Medication Guide does not take the place of talking with your doctor about your medical condition or treatment. It is important to remain under your doctor's care while using SIMPONI.

What is the most important information I should know about SIMPONI?

SIMPONI is a medicine that affects your immune system. SIMPONI can lower the ability of your immune system to fight infections. Some people have serious infections while taking SIMPONI, including tuberculosis (TB), and infections caused by bacteria, fungi, or viruses that spread throughout their body. Some people have died from these serious infections.

- Your doctor should test you for TB before starting SIMPONI.
- Your doctor should monitor you closely for signs and symptoms of TB during treatment with SIMPONI.

You should not start taking SIMPONI if you have any kind of infection unless your doctor says it is okay.

Before starting SIMPONI, tell your doctor if you:

- think you have an infection or have symptoms of an infection such as:
 - fever, sweat, or chills
 - muscle aches
 - cough
 - shortness of breath
 - blood in phlegm
 - weight loss
 - warm, red, or painful skin or sores on your body
 - diarrhea or stomach pain
 - burning when you urinate or urinate more often than normal
 - feel very tired
- are being treated for an infection
- get a lot of infections or have infections that keep coming back
- have diabetes, HIV, or a weak immune system. People with these conditions have a higher chance for infections.
- have TB, or have been in close contact with someone with TB
- live, have lived, or traveled to certain parts of the country (such as the Ohio and Mississippi River valleys and the Southwest) where there is an increased chance for getting certain kinds of fungal infections (histoplasmosis, coccidioidomycosis, blastomycosis). These infections may happen or become more severe if you use SIMPONI. Ask your doctor, if you do not know if you have lived in an area where these infections are common.
- have or have had hepatitis B
- use the medicine Orencia (abatacept), Kineret (anakinra), or Rituxan (rituximab)

After starting SIMPONI, call your doctor right away if you have any symptoms of an infection. SIMPONI can make you more likely to get infections or make worse any infection that you have.

Cancer

- There have been cases of unusual cancers in children and teenage patients taking TNF-blocking agents.
- For children and adults taking TNF-blocker medicines, including SIMPONI, the chances of getting lymphoma or other cancers may increase.
- People with inflammatory diseases including rheumatoid arthritis, psoriatic arthritis, or ankylosing spondylitis, especially those with very active disease, may be more likely to get lymphoma.

What is SIMPONI?

SIMPONI is a prescription medicine called a tumor necrosis factor (TNF) blocker. SIMPONI is used in adults:

- with the medicine methotrexate to treat moderately to severely active rheumatoid arthritis (RA)
- to treat active psoriatic arthritis (PsA) alone or with methotrexate
- to treat active ankylosing spondylitis (AS)

You may continue to use other medicines that help treat your condition while taking SIMPONI, such as non-steroidal anti-inflammatory drugs (NSAIDs) and prescription steroids, as recommended by your doctor.

What should I tell my doctor before starting treatment with SIMPONI?

SIMPONI may not be right for you. Before starting SIMPONI, tell your doctor about all your medical conditions, including if you:

- have an infection (see “**What is the most important information I should know about SIMPONI?**”).
- have or have had lymphoma or any other type of cancer.
- have or had heart failure.
- have or have had a condition that affects your nervous system, such as multiple sclerosis.
- have recently received or are scheduled to receive a vaccine. People taking SIMPONI should not receive live vaccines. People taking SIMPONI can receive non-live vaccines.
- are allergic to rubber or latex. The needle cover on the prefilled syringe and SmartJect autoinjector contains dry natural rubber.
- are pregnant or planning to become pregnant. It is not known if SIMPONI will harm your unborn baby.
- are breastfeeding. You and your doctor should decide if you will take SIMPONI or breastfeed. You should not do both without talking to your doctor first.

Tell your doctor about all the medicines you take, including prescription and non-prescription medicines, vitamins, and herbal supplements. Especially, tell your doctor if you use:

- ORENCIA (abatacept), KINERET (anakinra), or RITUXAN (rituximab). You should not take SIMPONI while you are also taking ORENCIA or KINERET. Your doctor may not want to give you SIMPONI if you have received RITUXAN recently.
- Another TNF-blocker medicine. You should not take SIMPONI while you are also taking REMICADE (infliximab), HUMIRA (adalimumab), ENBREL (etanercept), or CIMZIA (certolizumab pegol).

Ask your doctor if you are not sure if your medicine is one listed above.

Keep a list of all your medications with you to show your doctor and pharmacist each time you get a new medicine.

How should I use SIMPONI?

- SIMPONI is given as an injection under the skin (subcutaneous injection or SC).
- SIMPONI should be injected one time each month.
- If your doctor decides that you or a caregiver may be able to give your injections of SIMPONI at home, you should receive training on the right way to prepare and inject SIMPONI. Do not try to inject SIMPONI yourself until you have been shown the right way to give the injections by your doctor or nurse.
- Use SIMPONI exactly as prescribed by your doctor.
- SIMPONI comes in a prefilled syringe or SmartJect autoinjector. Your doctor will prescribe the type that is best for you.
- See the detailed **Patient Instructions for Use** at the end of this Medication Guide for instructions about the right way to prepare and give your SIMPONI injections at home.
- Do not miss any doses of SIMPONI. If you forget to use

SIMPONI, inject your dose as soon as you remember. Then, take your next dose at your regular scheduled time. In case you are not sure when to inject SIMPONI, call your doctor or pharmacist.

What are the possible side effects with SIMPONI?

SIMPONI can cause serious side effects, including:

See “**What is the most important information I should know about SIMPONI?**”

Serious Infections

Hepatitis B infection in people who carry the virus in their blood.

• If you are a carrier of the hepatitis B virus (a virus that affects the liver), the virus can become active while you use SIMPONI. Your doctor may do blood tests before you start treatment with SIMPONI and while you are using SIMPONI. Tell your doctor if you have any of the following symptoms of a possible hepatitis B infection:

- feel very tired
- skin or eyes look yellow
- little or no appetite
- vomiting
- muscle aches
- dark urine
- clay-colored bowel movements
- fevers
- chills
- stomach discomfort
- skin rash

Heart failure, including new heart failure or worsening of heart failure that you already have.

New or worse heart failure can happen in people who use TNF-blocker medicines like SIMPONI.

• If you have heart failure, your condition should be watched closely while you take SIMPONI.

• Call your doctor right away if you get new or worsening symptoms of heart failure while taking SIMPONI (such as shortness of breath or swelling of your lower legs or feet).

Nervous System Problems

Rarely, people using TNF-blocker medicine have nervous system problems such as multiple sclerosis.

- Tell your doctor right away if you get any of these symptoms:
 - vision changes
 - weakness in your arms or legs
 - numbness or tingling in any part of your body

Liver Problems

Liver problems can happen in people who use TNF blocker medicines, including SIMPONI. These problems can lead to liver failure and death. Call your doctor right away if you have any of these symptoms:

- feel very tired
- skin or eyes look yellow
- poor appetite or vomiting
- pain on the right side of your stomach (abdomen)

Blood Problems

Low blood counts have been seen with other TNF blockers. Your body may not make enough blood cells that help fight infections or help stop bleeding. Symptoms include fever, bruising or bleeding easily, or looking pale. Your doctor will check your blood counts before and during treatment with SIMPONI.

Common side effects with SIMPONI include:

- upper respiratory tract infection
- nausea
- abnormal liver tests
- redness at the site of injection
- high blood pressure
- bronchitis
- dizziness
- sinus infection (sinusitis)
- flu
- runny nose
- fever
- cold sores
- numbness or tingling

Other side effects with SIMPONI include:

- **Immune System Problems.** Rarely, people using TNF-blocker

medicines have developed symptoms that are like the symptoms of lupus. Tell your doctor if you have any of these symptoms:

- a rash on your cheeks or other parts of the body
- sensitivity to the sun
- new joint or muscle pains
- becoming very tired
- chest pain or shortness of breath
- swelling of the feet, ankles, and/or legs
- **Psoriasis.** Some people using SIMPONI had new psoriasis or worsening of psoriasis they already had. Tell your doctor if you develop red scaly patches or raised bumps that are filled with pus. Your doctor may decide to stop your treatment with SIMPONI.
- **Allergic Reactions.** Allergic reactions can happen in people who use TNF-blocker medicines. Call your doctor right away if you have any of these symptoms of an allergic reaction:
 - hives
 - swollen face
 - breathing trouble
 - chest pain

These are not all of the side effects with SIMPONI. Tell your doctor about any side effect that bothers you or does not go away. Call your doctor for medical advice about side effects. You may report side effects to the FDA at 1-800-FDA-1088.

How do I store SIMPONI?

- Refrigerate SIMPONI at 36°F to 46°F (2°C to 8°C).
- Do not freeze SIMPONI.
- Keep SIMPONI in the carton to protect it from light when not being used.
- Do not shake SIMPONI.

Keep SIMPONI and all medicines out of the reach of children.

General Information about SIMPONI

- Medicines are sometimes prescribed for purposes other than those listed in the Medication Guide. Do not use SIMPONI for a condition for which it was not prescribed.
- Do not give SIMPONI to other people, even if they have the same condition that you have. It may harm them.
- This Medication Guide summarizes the most important information about SIMPONI. If you would like more information, talk to your doctor. You can ask your doctor or pharmacist for information about SIMPONI that is written for health professionals. For more information go to www.simponi.com or call 1-800-457-6399.

What are the ingredients in SIMPONI?

Active ingredient: golimumab.

Inactive ingredients: L-histidine, L-histidine monohydrochloride monohydrate, sorbitol, polysorbate 80, and water for injection.

SIMPONI does not contain preservatives.

Manufactured by:

Centocor Ortho Biotech Inc.
Horsham, PA 19044
US License No. 1821

Revised: 11/2009
25GL09421R

This Medication Guide has been approved by the U.S. Food and Drug Administration.

